

p & h



Design and Access Statement Wilford Crescent West

July 2013

This design and access statement has been produced by URBED and Marsh Grochowski Architects with input from Eco Design on behalf of William Davis, Asra Housing Group and Blueprint Regeneration to be submitted as part of the planning application for a development proposal in the Meadows.

For more information please contact:

Emily Crompton

emily@urbed.coop

0161 200 5500

Printing Instructions:

Please print this document double-sided on A4 portrait, recycled or FSC paper.

www.urbed.coop/projects/pitcairn-and-hobart



P&H

Contents

1 > Introduction	4
2 > Site Context	6
3 > Masterplan Principles	16
4 > Consultation	50
5 > Design Development	52
6 > Wilford Crescent West	54
7 > Conclusion	58

1 > Introduction

This Design and Access Statement has been prepared by URBED with input from Marsh Grochowski Architects in support of a planning application for a residential development on land in the Meadows in Nottingham.

This report contains information for three separate planning application as listed below.

- > A Detailed Full Planning Permission Application for the construction of a total of 33 houses at Hobart Close
- > A Detailed Full Planning Permission Application for the construction of a total of 35 houses at Pitcairn Close.
- > A Detailed Full Planning Permission Application for the construction of a total of 5 houses at Wilford Crescent West.

Thee three sites have been developed and designed as one masterplan, and much of the information produced applies to all three sites. The plan to the right shows the 3 sites, all of which have separate planning applications. Chapters 1-6 refer to the overall masterplan. Chapter 7 will be specific to each site. The purpose of this document is to set out the principles that lie behind the proposals and it should be read in conjunction with the application drawings and the following supporting documents:

- > Statement of Community Involvement – URBED
- > Transport statement – Travis Baker
- > Tree survey – SLR Consulting (via William Davis)
- > Energy statement – Eco Design (via William Davis)
- > Site investigation stage 1 report – Millward
- > Unit mix appraisal – ASRA
- > Employment and training – ASRA

As a place to live the Meadows has considerable advantages, abutting the city centre at one end and the River Trent at the other. It is close to major employment areas, is only a short walk to high frequency bus routes and the transport nodes of Nottingham Railway Station, the bus station and soon it will have two tram stops which will provide high frequency services north and south of the City. It is also an area with a great sense of community and a pioneering energy partnership but also many challenges.

Whilst the Meadows has many advantages it also has high levels of unemployment and generally low educational achievement. Our design ambition is high, but realistic in terms of expected property values. Environmental sustainability is core to what we do and part of our scheme will incorporate key elements of Passivhaus housing design principles, and Blueprint's post-occupancy housing research with the University of Nottingham at Green Street will inform our design response. This will be continued within this scheme.



**Wilford
Crescent
West**

Pitcairn

Pitcairn Close

Wilford Crescent West

Hobart Close

Hobart

2 > Site Context

This section sets out the context for the overall masterplan looking at the historic background of the area and urban form and then looks at connections the site has, the local amenities and community facilities. This will help place the development in context.

Site Location

The site is located directly south of Nottingham City Centre, within a mile of Nottingham railway station and within one and a half miles of Old Market Square. The site lies within the Bridge Ward of Nottingham City Council, in between the 'New Meadows' to the west and the 'Old Meadows' to the east, on the north banks of the river Trent.

Site Description

The site housed the 'Cross Wall' flats. 42 of these flats were built on the site by the council in the 1960s and 1970s as social housing. The council decided to demolish the flats in 2012 as the cost for their maintenance would be too expensive, their design and layout were becoming less suitable for modern living as well as being unpopular with tenants. A tender was put out to teams of developers to put forward their ideas for the site and our team was selected to bring forward its proposals.

Historic Development

A figure ground, which is a map showing buildings against a white background, has been used to help compare development in the area over time. It is a useful tool as it emphasises the layout and density of buildings. The three

figure ground maps on the next page show development in the Meadows through the 19th and 20th centuries. A large part of development took place at the beginning of the 20th century, and the majority of these new buildings would have been Victorian terraces, lying along traditional linear streets. These would have been similar to the terraces east of the site which are still standing today. It is usually the case that these type of streets are easier to walk through for pedestrians as they are straight and navigable.

Urban Form and Density

Comparing the 1937-1940 figure ground with the present day map below, we can see that more modern housing on the site and to the west (the new Meadows), which was built in the 1960s and 70s follows a completely different layout. The short linear streets have been replaced with cul-de-sacs and curved roads, connected by a series of footpaths.

The previous density of the site, when there were 42 flats, would have been around 30 units per hectare. Whereas the terraced streets built to the east of the site are closer to 90 units per hectare.

This suggests that land is not being used as efficiently as it could be in the context of a growing population and increased demand for housing in the area.



1884-1892



1915-1924



1937-1940



2 > Site Context

Road Hierarchy

The map on the following page shows the road hierarchy in the area. Primary routes and secondary routes feed traffic into tertiary routes which provide access into residential areas. The streets shown in brown are cul-de-sacs, which limit access

The Broadway shopping high street, which lies north east of the site has been shown in pink. This is a purpose built pedestrianised parade and provides local shops and services within walking distance of the site.

From the map we can see that routes across the Trent river are limited close to the site, however there is a pedestrian bridge across the river west of the site. The new tram line, NET phase 2 will travel across this bridge, connecting both sides of the river Trent.


Public Transport

The two plans to the right explore the wider connectivity of the scheme. On both plans the red circle is drawn at 800m or a ten minute walk around the site. The pink area on the upper plan is the actual 10 minute walk isochrone around the site taking into account streets and footpaths. This shows that the Bridgeway local retail centre is within 10 minutes of the site as are two primary schools, a Sure Start centre and a number of local shops.

The lower plan shows the route of the proposed tram route which is to have a stop next to Willford Bridge within five minutes walk of the site. The plan also shows the bus routes and stops in the area and the green zone shows the area that is within 5 minutes walk or 400m of a bus stop (which includes the whole site).

The site is extremely well served by public transport links. The new tram route - NET phase 2 is being built to the west of the site along Queens Walk boulevard, which will connect the Meadows with the city centre and out towards Wilford.

This ensures that the choices exist for more sustainable modes of transport within and around the site. It also means that residents could be less reliant on cars to get to work and leisure destinations.




2 > Site Context

Green Space

There is a large expanse of green open space to the south of the site, located on the banks of the river. This provides a great space for outdoor recreation and children's play providing opportunity for health, fitness and wellbeing benefits.

Local Amenities

The site is served by a number of amenities within a ten minute walk, these include places of worship, a community centre and a library. The Bridgeway Shopping Centre lies north of the site, offering a supermarket, Post Office, the Meadows One-Stop shop and various retail and food shops.



2 > Site Context

Planning Policy Context

The proposals for the scheme are in line with the National Planning Policy Framework (NPPF), which was adopted in 2012. The framework sets out the requirement for new development to be sustainable and this has been covered in the next chapter, Design Principles.

As updated Local Plans for Nottingham - The Aligned Core Strategy and The Land and Planning Policies Development Plan Document are due to be adopted in October 2013 and August 2015 respectively, this application will follow the saved policies (beyond November 2008) of the Nottingham Local Plan 2005.

Saved policies relevant to the site have been identified on the following page. As the re-development of the site was put out to tender, the Council put together a brief detailing their objectives for the type and scale of residential development which should be accommodated on the site.

Our proposals follow the Council's brief for the scheme, which includes accommodating a mix of private houses for sale and affordable properties for rent, thus adhering to Council's aspirations for the area.

Current Designation:

The site is currently designated for residential development in the Meadows Neighbourhood Plan, which was adopted in August 2009 and forms local planning policy for the area. This document acts as a guideline for regeneration and re-development in the Meadows and the concept behind our proposals, which is in line with this strategy, is identified in the next section of this report.

Planning History:

There are no past planning applications for the site, apart from the application to demolish the existing Cross Wall flats and garages. (Nottingham City Council Planning Application reference: 12/02431/PADA).



The Saved Local Plan Policies (2005):

The site is located within the Primary Residential Area, designated in the Local Plan. This means proposals for residential development are appropriate on the site.

Directly adjacent to the southern part of the site, at the west end of Bathley Street, lies the Victoria Embankment open land which has been designated as part of the 'Open Space Network' and as a 'Major Park'. This designation restricts development in these areas.

It is our view that providing a frontage here, where our site abuts this land, will enhance the open space by providing natural surveillance, making the space feel safer. The houses, as with all the houses on the scheme will be designed to a high standard to provide an attractive view for those using the open space.

A number of designations lie close to the site, for example the NET route for safeguarding, which is within 100 metres of the site boundary. The tram line, NET Phase 2 which runs along this route is currently under construction. This provides great access to public transport links from the site.

An area has been identified as 'Major Business Park', 600 metres west of the site boundary. Although the proposal will not affect this designation, the area could provide employment opportunities for new residents, further emphasising the sites sustainable location.

Existing Meadows Architecture

The images on the following page identify different architectural styles within the Meadows.

The 'Old Meadows' is made up of traditional, linear terraced streets, with houses dating back to the early 20th Century. Streets following this 'grain' are often more walkable and easier to navigate.

The terraces along Wilford Crescent West have been built along a curve which creates a pleasant vista.

Moving into the 'New Meadows', more modern housing takes the form of semi detached houses with front and back gardens. These were built by the council in the 1960s and 70s.

The properties which sat on the site, and have since been demolished - the Cross Wall flats, consisted of square blocks with four flats in each, two up and two down. Entrances to the flats were cluttered with wooden panel fences, which made the frontage to the flats look uninviting.

Housing on Sandays Close is designed around cul-de-sacs and consists of two and three storey brick terraces. A number of footpaths connect these cul-de-sacs.

From looking at existing housing in the Meadows it is apparent that there are a range of styles, represented by the era in which the housing and streets were built.

Therefore we think it appropriate that our proposals represent housing from the 21st Century and deliver energy efficient, modern housing which is developed on well designed and accessible streets.

Views down Wilford Crescent West. These three storey terraces date back to the early 1900s.



Houses on Sandays Close.
Google 2011



Houses on Wilford Crescent West. These properties were built by the council in the 1960s and 1970s and are mostly semi detached houses with front and back gardens. These houses look onto the proposed development site.
Google 2011



The Cross Wall flats which have recently been demolished on the site. A dark footpath leads into the properties, which feels unsafe. It also means residents are unable to park at the front of their properties.



3 > Masterplan Principles

In this section we describe the design principles of the masterplan as a whole in terms of its connections, public realm, urban form, mix and density and access and parking.

Initial Proposals

In developing the masterplan we have sought to understand the role of the Pitcairn and Hobart site within the context of the Meadows and knit the new development into the wider area. We have also been interested in increasing the mix and quality of housing to produce a scheme which creates a sense of place and character.

The initial masterplan for the site was drawn up by the same team that has been working on the Green Street/ Kings School site in the meadows. The plan was an evolution of Green Street, using many of the same house types but also incorporating improvements, a greater mix of units and tenures and high environmental standard.

This section describes how the plans respond to various quality standards including Building for Life and Lifetime Homes. The sustainability strategy for the scheme is then set out including the achievement of CSH level 4 and its response to Blueprint's own sustainable investment policy, Footprint.



3 > Masterplan Principles

Connections

A key principle of a sustainable urban network is that it is connected into the wider city. This includes access to public transport, schools, local shopping centres and other facilities. Blueprint are required to consider these issues through its Footprint Sustainable Investment Policy which has to be agreed before it is able to invest in schemes.

As we have explained in the previous section the site is very well served by public transport. The Bridgeway local retail centre is within 10 minutes of the site as are two primary schools, a Sure Start centre and a number of local shops.

The proposed tram route which is to have a stop next to Willford Bridge within five minutes walk of the site. The bus routes and stops in the area are within 5 minutes walk or 400m of a bus stop.

This makes the site very accessible. However there is an issue with local connectivity. The estate to the west of the site is a 'Radburn' layout and is not designed to create clear safe pedestrian routes. We have therefore concentrated on creating one clear connection to this estate that can be overlooked by the new development and made to feel safe. The main connections will be northwards along Wilford Crescent to the shops, schools and other facilities and westwards along Victoria Embankment towards the proposed tram stop and bus routes. These routes are safe, supervised and overlooked by the proposed development.



3 > Masterplan Principles

Public Realm

The public realm plan to the right follows on from the discussion on connectivity. The main connections are along the embankment to the south, northwards up Wilford Crescent and the end of Pitcairn Close. The latter is an existing connection but the scheme seeks to make it into a much clearer more supervised route.

The plan to the right shows three types of public realm. The yellow shows pedestrian spaces and include pavements and the routes into the playing fields to the south. The grey areas are traditional road carriageways. The brown areas are however shared space. The site context makes it inevitable that the three roads off Wilford Crescent are cul-de-sacs and we have been keen to avoid intrusive turning heads at the end of each of these routes. The shared space areas are therefore designed to allow vehicles, including bin trucks, to turn, but are also designed as intimate public spaces. All new housing fronts onto these spaces, although inevitably some of the existing stock do back onto them.

On the southern frontage to the site we have put a lot of thought into whether we should create a street frontage. We have concluded that there is value in the housing facing onto the park and to do this we need to have a public route and ideally car access to the front of the properties. On the other hand there are a lot of mature trees on the frontage and also a change of levels. The scheme therefore shows a ramp up to the level of the trees and a permeable shared vehicle surface in front of the housing.

Green space: We have not included any additional green space within the scheme. It's clear the site has great access to extensive areas of playing fields.

We do believe that the trees are an asset to the scheme and will make all efforts to retain them where possible. Currently there are 85 trees on site, and 36 will be removed, these are all category B and C. Please see the more detailed tree survey for more information.



3 > Masterplan Principles

Urban Form

The size and configuration of the site limits the options for the masterplan. We explored various alternative arrangements for Pitcairn, which continued the row of houses along the site boundary but this limited the developability of the balance of the site and failed to achieve the required density.

The plan is therefore based on the creation of three perimeter blocks. These allow housing to face outwards onto public realm and to have secure rears. We looked at a number of options that included parking to the rear but came to the conclusion that this would undermine the security of the properties. The frontages of the east west routes are therefore set back to allow either in-curtilage parking at the front of the property, or chevron parking.

These blocks allow us to create strong frontages and building lines to the green area to the south and to Wilford Crescent. The latter has in-line street parking allowing us to bring the building line close to the back of pavement. The exception being the corner of Hobart close where the frontage is set back to protect the existing trees.

The scheme includes four 'L' shaped corner units to enclose the corner of the perimeter blocks – three of which front on to Wilford Crescent West. These allow the frontage to wrap around the prominent corners as well as a three storey unit to create a corner landmark.

The predominant heights of the other units in the scheme is two and three storey. The latter are based on the Green Street house types and have roof terraces on the southern elevation. These units are terraced allowing the scheme to create a set of strong, well defined frontages.

-
- 2 storey building form with building line
- 3 storey building form with building line
- Shared spaces/ turning space
- Existing, to be retained trees
- Existing, to be removed trees
- New proposed trees

3 > Masterplan Principles


Mix and Density

The scheme has been designed as a close collaboration between Marsh Grochowski Architects and URBED. The scheme achieves 73 units on the site at a density of 48 units/ha (150 bed spaces/ha). This is slightly lower than Green Street as a result of the configuration of the site and constraints like the easement and access restrictions to the rear of the pumping station.

The scheme is designed to be a mix of house types and tenures. The scheme includes four bed units, three bed units and two bed units. All of these are houses (as described further on in this chapter) apart from 10 meet Lifetime Homes standards.

Marsh Grochowski have designed a bespoke set of house types to fit the needs of the masterplan. These are an evolution of the Green Street types. The evolution has includes a narrower frontage width (which impacts on density) and alternative layouts depending on the unit's orientation so that the roof terraces and living rooms always face south. In addition to this, the scheme includes the corner units described in the previous section, two types of terraced unit, designed specifically for affordable housing on this site.

- | | |
|-------|-------|
| A2 | C1 |
| S1 | C2 |
| S4+R5 | S2 |
| R1 | S3+R3 |
| R4 | R2 |



3 > Masterplan Principles

Tenure and Affordable Housing

The housing mix has been designed to meet the requirements of Nottingham City Council issued in the Meadows Crosswall ITT. The tenures are generally in 2 area, the Hobart and the Wilford Crescent West sites being for sale and Pitcairn being Affordable rent or Shared Equity/Ownership. This has been to maximise value for the sale and intermediate units, and to ensure that it is possible for ASRA Housing Group to effectively manage the affordable rented units.

The mix of units is as follows:

- > Sale units – 34 / 73 = 47%
- > Shared Equity – 5 / 73 = 7%
- > Shared Ownership – 13 / 73 = 18%
- > Affordable Rent – 21 / 73 = 28%

The rented units are a mixture of 2, 3 and 4 bed units, to reflect the City Council's aspiration for family housing.

The affordable housing will be supported financially through grant from the HCA, as part of the 2011- 2015 programme.

The levels of grant are set at 24k per unit for affordable rent, and at 12k per unit for shared equity and shared ownership.

In terms of the sale, the evidence from the Green Street development is that 3 and 4-bed units of a high environmental standard were very popular, as was the requirement of shared equity. We feel the mix of sale units reflects this.

The table on the next page sets out the house type and the tenure for each unit.

- Sales
- Shared Equity
- Shared Ownership
- Rented



3 > Masterplan Principles

Hobart Summary

Plot	Type	Storeys	GIFA - m2	House type	Tenure	Car parking	Energy Rating
1	A2	3	121.6	4b 8p ensuite	Private sale	garage + 1 space	AECB Silver Standard
2	C1	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
3	C1	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
4	C1	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
5	C1	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
6	C1	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
7	C1	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
8	C1	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
9	C1	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
10	A2	3	121.6	4b 8p ensuite	Private sale	garage + 1 space	AECB Silver Standard
11	R5	3	111.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
12	S4	2	85	3b 5p	Private sale	1 space	AECB Silver Standard
13	R1a	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
14	R1a	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
15	R1a	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
16	C2	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
17	C2	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
18	C2	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
19	C2	3	103.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
20	R1a	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
21	R1a	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
22	R1a	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
23	R1a	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
24	R1a	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
25	R5a	3	111.1	4b 7p en suite	Private sale	1 space	AECB Silver Standard
26	S4	2	85	3b 5p	Private sale	1 space	AECB Silver Standard
27	R1	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
28	R1	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
29	R1	2	93.7	3b 5p	Private sale	1 space	AECB Silver Standard
30	S2	2	69.3	2b 4p	Sh Ownership	street	CSH Level 4
31	S2	2	69.3	2b 4p	Sh Ownership	street	CSH Level 4
32	R2	2	83.2	3b 5p	Sh Ownership	street	CSH Level 4
33	R2	2	83.2	3b 5p	Sh Ownership	street	CSH Level 4

Pitcairn Summary

Plot	Type	Storeys	GIFA - m2	House type	Tenure	Car parking	Energy Rating
34	R1	2	93.7	3b 5p	Aff Rent	1 space	AECB Silver Standard
35	R1	2	93.7	3b 5p	Aff Rent	1 space	AECB Silver Standard
36	R1	2	93.7	3b 5p	Aff Rent	1 space	AECB Silver Standard
37	R1	2	93.7	3b 5p	Aff Rent	1 space	AECB Silver Standard
38	R1	2	93.7	3b 5p	Aff Rent	1 space	AECB Silver Standard
39	R1	2	93.7	3b 5p	Aff Rent	1 space	AECB Silver Standard
40	R1	2	93.7	3b 5p	Aff Rent	1 space	AECB Silver Standard
41	S1a	2	77.8	2b 4p	Aff Rent	1 space	CSH Level 4
42	S1a	2	77.8	2b 4p	Aff Rent	1 space	CSH Level 4
43	S1a	2	77.8	2b 4p	Aff Rent	1 space	CSH Level 4
44	S1a	2	77.8	2b 4p	Aff Rent	1 space	CSH Level 4
45	S3	2	70.6	2b 4p	Aff Rent	1 space	CSH Level 4
46	R3	3	111	4b 7p	Aff Rent	1 space	CSH Level 4
47	R2a	2	83.2	3b 5p	Aff Rent	street	CSH Level 4
48	R4	2	89.1	3b 5p	Aff Rent	street	CSH Level 4
49	R4	2	89.1	3b 5p	Aff Rent	1 space	CSH Level 4
50	R4	2	89.1	3b 5p	Aff Rent	1 space	CSH Level 4
51	R2a	2	83.2	3b 5p	Sh Ownership	1 space	CSH Level 4
52	R2a	2	83.2	3b 5p	Sh Ownership	1 space	CSH Level 4
53	S2	2	69.3	2b 4p	Sh Ownership	1 space	CSH Level 4
54	S2	2	69.3	2b 4p	Sh Ownership	1 space	CSH Level 4
55	S2	2	69.3	2b 4p	Sh Ownership	1 space	CSH Level 4
56	S1a	2	77.8	2b 4p	Sh Ownership	1 space	CSH Level 4
57	S1a	2	77.8	2b 4p	Sh Ownership	1 space	CSH Level 4
58	R2a	2	83.2	3b 5p	Sh Ownership	1 space	CSH Level 4
59	R2a	2	83.2	3b 5p	Sh Ownership	1 space	CSH Level 4
60	C1	3	103.1	4b 7p ensuite	Sh Equity	1 space	CSH Level 4
61	C1	3	103.1	4b 7p ensuite	Sh Equity	1 space	CSH Level 4
62	C1	3	103.1	4b 7p ensuite	Sh Equity	1 space	CSH Level 4
63	C1	3	103.1	4b 7p ensuite	Sh Equity	1 space	CSH Level 4
64	C1	3	103.1	4b 7p ensuite	Sh Equity	1 space	CSH Level 4
65	S3	2	70.6	2b 4p	Aff Rent	1 space	CSH Level 4
66	R3	3	111	4b 7p	Aff Rent	1 space	CSH Level 4
67	S2	2	69.3	2b 4p	Aff Rent	street	CSH Level 4
68	R2	2	83.2	3b 5p	Aff Rent	1 space	CSH Level 4

Wilford Crescent West Summary

Plot	Type	Storeys	GIFA - m2	House type	Tenure	Car parking	Energy Rating
69	C1	3	103.1	4b 7p ensuite	sale - custom build	1 space	CSH Level 4
70	C1	3	103.1	4b 7p ensuite	sale - custom build	1 space	CSH Level 4
71	C1	3	103.1	4b 7p ensuite	sale - custom build	1 space	CSH Level 4
72	C1	3	103.1	4b 7p ensuite	sale - custom build	1 space	CSH Level 4
73	C1	3	103.1	4b 7p ensuite	sale - custom build	1 space	CSH Level 4

3 > Masterplan Principles

Parking

Parking is one of the most difficult issues on a scheme of this density. There are essentially only three options, in a rear courtyard, in-curtilage at the side of the property, or at the front. We have tried a number of options. However in the end we rejected rear parking courts because of concern over security and the problem of possible confusion about which way the house faces. At this density it is not possible to park down the side of the property so that the only option is at the front.

The problem with this is the impact of cars on the street scene and the width of streets. The plan to the right shows the initial parking arrangement for the scheme. This includes three types of parking: internal garages (light yellow), in-curtilage at the front of the property (dark yellow) and on street (brown).

The internal garages are confined to 'type A' 4-bed for sale units and there are only 2 in the scheme. These also have a driveway and so effectively have 200% parking. There are 66 in-curtilage parking spaces at the front of properties. This has involved moving the building line back on Hobart Close. Only 7 no. houses will have on street parking, which is a massive reduction in the number of existing properties that used to have to park on the street.

There is still a large length of car parking space allowed on the existing retained streets for the existing houses in the area and visitors. Some of the on-street spaces will, however, serve the existing community to compensate for the loss of garages. Virtually all of the car parking is designed to Lifetime Homes standard with a 3.3 x 4.8 m space.



3 > Masterplan Principles

Sustainability and Energy Statement

As a sustainability strategy it is sensible to focus on reducing the demand first, and then find the most efficient way to meet that demand from renewable technologies. We have concentrated on improving the fabric first, as this is better for reducing energy bills for the occupiers and maintenance costs for owners. By significantly reducing the total consumption of energy across the site, we will achieve 10% of the total site requirement from renewable energy through using super efficient whole house mechanical ventilation systems and waste water heat recycling.

The energy statement has been written to meet Nottingham City Council's Sustainable Energy Planning Requirement which requires "10% of the energy supply (interpreted through carbon emissions) in all new developments over 1,000 square metres to be gained on-site and renewably and/or from a decentralised, renewable or low carbon energy supply" and was adopted by the Council's Executive Board on 22 May 2007.

The client intends to achieve Code for Sustainable Homes (CSH) level 4* for all 33 dwellings on the site from which 29 dwellings are proposed to be upgraded to the AECB Silver Standards.

The CSH level 4* requires 25% improvement over the current building regulation Part L compliant dwelling. (25% less CO₂ emission compared to Typical PART L 2010 compliant dwelling)

% improvement 2010 DER/TER	
Typical PART L 2010 compliant	0% (DER = TER)
CSH level 4* requirement	25%

Whereas, the AECB silver standards requires certified dwellings to achieve a space heating demand of 40kWh/m²/yr, calculated using PHPP (Passivhaus Planning Package).

Space heating demand (kWh/m ² /yr) calculated using PHPP	
Typical PART L 2010 compliant	60
AECB Silver requirement	40
% improvement	33%

Using a combination of energy efficiency measures & technologies the houses on the site will achieve more than the 10% improvement from the benchmark for infill medium density housing as set out in the energy report guide by Nottingham City Council.

Hobart - 33 dwellings. The Total site wide CO₂ calculated at 97.6 tonnes is 17.12% lower than the benchmark for this type of housing, showing the target of a minimum 10% reduction in CO₂ is met.

Pitcairn - 35 units. The Total site wide CO₂ calculated at 92.7 tonnes is 12.26% lower than the benchmark for this type of housing, showing the target of a minimum 10% reduction in CO₂ is met.

Wilford Crescent West - 5 dwellings. The Total site wide CO₂ calculated at 15.7 tonnes is 21.70% lower than the benchmark for this type of housing, showing the target of a minimum 10% reduction in CO₂ is met.

Code for Sustainable Homes: (CSH) Level 4 Standard

The Code for Sustainable Homes (CSH) is an environmental assessment method for rating and certifying the performance of new homes based on BRE Global's EcoHomes scheme. It is a Government owned national standard intended to encourage continuous improvement in sustainable home building

The key aim of the Code for the Sustainable Homes is to provide a benchmark from which the whole building industry can design and construct new dwellings to a higher sustainability standard, as well as giving the new homebuyer better information about the environment impact and running cost of their new home.

Sustainable design principles based on CSH cover performance in nine key areas:

- > Energy and CO2
- > Water
- > Materials
- > Surface Water Run-off
- > Waste
- > Pollution
- > Health and Well-being
- > Management
- > Ecology

The Code for Sustainable Homes uses a rating system of one to six stars. Dwellings are assessed and rated individually in two stages - a post-construction review must be carried out prior to final CSH certification.

Minimum mandatory standards must also be met for carbon dioxide emissions, water, materials, waste and surface water run-off before even the lowest level of CSH can be achieved. For carbon dioxide emissions and water, these minimum standards rise with each level. Otherwise, the method of achieving the total score by accumulating credits is flexible.

There are three sections of CSH which are directly

affected by the implementation of energy-efficiency measures and renewable energy technologies: ENE 1, ENE 2 & ENE 3. The ENE 1 credits are dependent on the % improvement over the current building regulation Part L compliant dwelling.

The client intend to achieve CSH level 4* requires 25% improvement over typical Part L compliant dwelling, as shown in the table below.

Criteria		
% improvement 2010 DER/TER ¹	Credits ²	Mandatory Requirements
≥ 8%	1	
≥ 16%	2	
≥ 25%	3	Level 4
≥ 36%	4	
≥ 47%	5	
≥ 59%	6	
≥ 72%	7	
≥ 85%	8	
≥ 100%	9	Level 5
Zero net CO2 emissions	10	Level 6
Default Cases		
None		

1. Performance requirements are equivalent to those in previous scheme versions but are now measured using the AD L1A 2010 TER as the baseline.

2. UP to nine credits are awarded on a sliding scale. The scale is based on increments of 0.1 credits, distributed equally between the benchmarks defined in this table.

3 > Masterplan Principles

AECB Silver Standard

Supported by the Carbon Trust, the AECB have created a programme called CarbonLite which aims to improve the CO₂ performance of buildings. Within this programme are three energy standards and buildings that meet these standards will be warm in the winter, cool in the summer, have a good level of indoor air quality and be affordable to run. These standards can be applied to all residential-type buildings and any non-domestic building categories which have energy benchmarks produced by the Carbon Trust.

The Silver Standard is the first stage of AECB standards but is a major improvement compared to normal UK building practice and the reduction in CO₂ emissions and energy requirement comes from using products and materials that are available in the UK marketplace rather than renewables and other extra technology. In addition buildings conforming to this standard can be delivered close to current building costs.

The energy requirements of a dwelling built to the Silver Standard are:

- > Useful space heating energy: 40 kWh/m²/year
- > Primary Energy Consumption: 120 kWh/m²/year
- > CO₂ emissions: 22 kg/m²/year

The design approach follows the energy hierarchy which encourages the need to reduce energy and use energy more efficiently before looking at supplying energy from renewable sources. In order to achieve the 10% improvement required by Nottingham City Council the following technologies will be installed into the houses:

Hobart - 33 dwellings. Situated to the south of the overall Pitcairne and Hobart Site, is made up of various houses types and will be constructed to meet the energy requirements of the CSH level 4* and 29 dwellings upgraded to AECB Silver Standard.

Pitcairn - 35 units. Situated to the west of the overall Pitcairne and Hobart Site, is made up of various houses types and will be constructed to meet the energy requirements of the CSH level 4* and 7 dwellings upgraded to AECB Silver Standard.

Wilford Crescent West - 5 units. This site is made up of 5 three bedroom dwellings to the north of the overall Pitcairne and Hobart Site and will be constructed to meet energy requirements of the CSH level 4*.

In order to achieve the 10% improvement required by Nottingham City Council the following Energy efficiency measures and technologies will be installed into the houses.

The design approach follows the energy hierarchy which encourages the need to reduce energy and use energy more efficiently before looking at supplying energy from renewable sources.

The Energy efficiency measures such as good U-values of the building fabric and minimised heat losses through air tight construction and reduced thermal bridging, are proposed to reduce carbon dioxide emissions compared to the Building Regulations Target Emission Rate, to contribute towards meeting the Code for Sustainable Homes target.

- > External Wall: U- value = $0.15\text{W/m}^2\text{K}$
- > Roof: U- value = $0.09\text{W/m}^2\text{K}$
- > Exposed Floor: U- value = $0.16\text{W/m}^2\text{K}$
- > Door: U- value = $1.0\text{W/m}^2\text{K}$
- > Window: U- value = $0.9\text{W/m}^2\text{K}$

Mechanical Ventilation with Heat Recovery:

A mechanical ventilation system) which brings in a fresh supply of air (changes the air in the house every two hours) via a heat exchanger and replaces stale damp air with fresh, pre-warmed and clean air. Benefits of the system include a reduction in heating bills from recovering heat (60-70%) that is normally lost through extract ventilation, humidity (which can cause condensation, mould growth and helps dust mites to breed) is kept low and a generally healthier home created with the use of a British Allergy Approved filtered fresh air which stops pollen and other allergens entering house and alleviating symptoms suffered by asthma and hayfever sufferers.

The results for each application can be found on the following pages.

3 > Masterplan Principles

Hobart Summary

House Type	No. of House Types	Total Floor Area (m ²)	Emissions (Kg Co ₂)
A2	2	237.8	5681.04
C1 (Mid)	6	618.6	15174.25
C1 (End)	2	206.2	5458.11
R5	1	111	2796.09
S4	1	85	2580.6
R1a (End)East	2	187.4	4825.55
R1a (Mid)East	1	93.7	2297.52
C2 (End)	2	206.2	4979.73
C2 (Mid)	2	206.2	4750.84
R1a (End) North	2	187.4	4881.77
R1a (Mid) North	3	281.1	6974.09
R5a	1	111	2801.64
S4a	1	85	2586.55
R1 (End)	2	187.4	4923.67
R1 (Mid)	1	93.7	2297.52
R2	2	166.4	4236.54
S2	2	138.6	3711.70

Total floor area of site = 3202.7 m²

Total site emissions = 80957.21 kgCo₂

Benchmark emissions = site area x 30.5 (medium density infill housing) = 97682.35 kgCo₂

Site Improvement over Benchmark = 17.12%

Using the benchmark for infill medium density housing as set out in the energy report guide by Nottingham City Council is 30.5kg CO₂/m²/year, the proposed total site CO₂ is 17.12% lower than the benchmark. Therefore the site is meeting the requirements of Nottingham City Council's Energy Requirements of a 10% reduction.

Pitcairn Summary

House Type	No. of House Types	Total Floor Area (m ²)	Emissions (Kg Co ₂)
R1 (End)	4	374.8	10610.58
R1 (Mid)	3	281.1	7362.00
S1a (End)	2	155.6	4261.88
S1a (Mid)	2	155.6	3958.46
S3	2	141.2	4302.36
R3	2	222	4972.8
R2a east	1	83.2	2288
R2a (End)	2	166.4	4504.44
R2a (Mid)	2	166.4	4179.96
R4	3	267.3	6671.80
S2 (End)	2	138.6	4199.58
S2 (Mid)	1	69.3	1936.93
S1a (End north)	1	77.8	2197.85
S1a (Mid north)	1	77.8	2032.91
C1 (End)	4	412.4	11093.56
C1 (Mid)	1	103.1	2534.19
S2	1	69.3	2013.85
R2	1	83.2	2287.16

Total floor area of site = 3042.1m²

Total site emissions = 81408.31 kgCo₂

Benchmark emissions = site area x 30.5 (medium density infill housing) = 92784.05 kgCo₂

Site Improvement over Benchmark = 12.26%

Using the benchmark for infill medium density housing as set out in the energy report guide by Nottingham City Council is 30.5kg CO₂/m²/year, the proposed total site CO₂ is 12.26% lower than the benchmark. Therefore the site is meeting the requirements of Nottingham City Councils Energy Requirements of a 10% reduction.

Wilford Crescent West Summary

House Type	No. of House Types	Total Floor Area (m ²)	Emissions (Kg Co ₂)
C1	5	515.5	12310.14

Total floor area of site = 515.5m²

Total site emissions = 12310.14 kgCo₂

Benchmark emissions = site area x 30.5 (medium density infill housing) = 15722.75 kgCo₂

Site Improvement over Benchmark = 21.70%

Using the benchmark for infill medium density housing as set out in the energy report guide by Nottingham City Council is 30.5kg CO₂/m²/year, the proposed total site CO₂ is 21.70% lower than the benchmark. Therefore the site is meeting the requirements of Nottingham City Councils Energy Requirements of a 10% reduction.

3 > Masterplan Principles

Building For Life 12

This is our Building for Life assessment. Our aspiration is to achieve Green on all question BFL12 Diamond.

Standard	Comment
Integrating into the neighbourhood	
1. Connections	
1a Where should vehicles come in and out of the development?	<p>Hobart site - The main route into and out of the site will be by using the existing access road (Hobart Close) since this is already a well defined entrance and also provides access to the existing houses to the north, the 2 units to the far south-west at the end of Hobart Close , the existing row of units along the west boundary and access to the pumping station. It is important this existing access way is retained in use during the building works. It is also proposed to introduce a new private access way along the south side of this site on the embankment along the line of the existing pathway providing a pleasant walkway along the south boundary between the existing trees, as well as allowing vehicular and pedestrian access to the 10 new houses along this boundary. This new access way connects the end of Bathley Street to Victoria Embankment.</p> <p>Pitcairn site - The existing road (Pitcairn Close) is to be retained along the south side of the site since this is already a well defined and used entrance and also provides access to the existing houses to the south, the existing row of units along the west boundary and also access to the pathway to the west into the neighbouring area. This existing road currently ends in a large row of garages along the west of the site and this is to be omitted completely. A new access road is also to be provided into the heart of the site off Wilford Crescent West, which divides the site in half, allowing for street frontages and access to further houses . This new road ends in a large paved , landscaped area at the base of the tree lined embankment. It will be large enough for a dustbin lorry to turn around.</p> <p>Wilford Crescent West site - this small site fronts onto Wilford Crescent West and is of narrow depth not requiring a new access road. Access will remain directly off Wilford Crescent West for vehicles and pedestrians.</p>
1b Should there be pedestrian and cycle only routes into and through the development? If so where should they go?	<p>Hobart site - The existing pedestrian only access route in the far south west corner between the retained units and pumping station is to be retained and the gable end of unit 33 will provide a vista end as well as overlooking to the pathway. A new pedestrian only pathway will be introduced between the east side of the retained units and the west side of unit 1 at the end of the new embankment access way, providing direct access into the landscaped area at the end of Hobart Close. Windows in the west end of unit 1 will overlook this new pathway.</p>

	<p>Pitcairn site - The existing pedestrian only pathway at the end of Pitcairn Close is to be retained and made more open and user friendly by opening out the space at the end of the road and altering the levels in a more gentle fashion to overcome the gradient on the pathway. Units 34 - 38 will directly overlook this pathway</p>
1c Where should new streets be placed and could they be used to cross the development site and help create linkages across the scheme and into the existing neighbourhood?	<p>Hobart site - the new 'street' has been located along the south side of the site along the edge of the embankment to reinforce the existing pathway along here, as well as provide vehicular access to units 1-10 (and to existing house no. 318). This 'street' acts as a link between the west end of Bathley Street and the road along Victoria Embankment. The level differences at either end will be sensitively designed with gradual ramps and paths.</p> <p>Pitcairn site - The new street has been located off Wilford Crescent West providing direct access into the heart of the site and opens up the view of the existing pathway which runs along the west boundary of the site making it more user friendly and connects the development to its neighbours.</p>

3 > Masterplan Principles

<p>1d How should the new development relate to existing development? What should happen at the edges of the development site?</p>	<p>All 3 of the development sites are part of the overall Meadows housing area and need to integrate into the existing fabric of the area. The existing Meadows development is set out on very rigid footprints and because we are to use existing streets in to the sites these have become an important design generator.</p> <p>Hobart site - the new layout follows the existing layout with rows of houses parallel to the Embankment, Wilford Crescent West and Hobart Close, providing a central garden area overlooked by all the properties. The new houses to the south boundary are a continuation of line of the retained units, but will be 3 storey to make use of the fantastic views to the south towards the river. The existing building line and footprint has been maintained where possible to allow for retention of a number of existing trees. A small infill of 4 houses (30 - 33) fill the gap between the pumping station and the row of existing units along the west boundary and overlook the landscaped termination of Hobart Close.</p> <p>Pitcairn site - the new layout follows the geometry of the existing layout since it relates to the existing streetscenes. The new access street follows the same angle as the existing street, perpendicular to the existing footpath at its end. Unit 65 is to have a purpose designed end gable (north side) to create a vista end to the existing Wilford Crescent West.</p> <p>The edges of the sites are carefully considered. The new houses provide an enclosure to the sites and are built along all edges, but the houses are broken down into small lengths to allow views into and out of the site, as well as providing access. These gaps have also been used to stagger the buildings so there are no long runs of dominant elevations. Since the existing edges are well landscaped with trees, these have been retained wherever possible so the edges will be soft and provide a sense of age to the sites. The actual edges of the sites will be generally be a mixture of timber fences, gates, low walls and gardens, which will provide the opportunity to introduce domestic scale detail to the perimeter with natural materials.</p>
2. Facilities and services	
<p>2a Are there enough facilities and services in the local area to support the development? If not, what is needed?</p>	<p>The 3 sites already contain a large number of dwellings and although these are now empty, the local infrastructure is in place to support the development. The Meadows area is an historical housing area and well provided with schools, shops, doctors surgeries, community centre, library, play areas, parks.</p>
3. Public transport	
<p>3a What can the development do to encourage more people (both existing and new residents) to use public transport more often?</p>	<p>The 3 sites are all very close to existing public transport locations. These are to be retained and the access ways to these maintained and reinforced to make it easy for people to get to bus stops and the station.</p>

3b Where should new public transport stops be located?	The new development will not require any new public transport stops since it is already well provided and the development will not affect them. The proposed new tram route to the west of the 3 sites will be a very important means of public transport and the new access 'street' along the embankment will help in providing a better, safer and more pleasant walking environment to the proposed new tram stop.
4. Meeting local housing requirements	
4a What types of homes, tenure and price range are needed in the area (for example, starter homes, family homes of homes for those downsizing)?	<p>Housing tenure mix</p> <p>The mix of units is as follows:</p> <ul style="list-style-type: none"> > Sale units – Private sale 47 % (34 houses) > Shared Equity – 7 % (5 houses) > Shared Ownership – 18% (13 houses) > Affordable Rent – 28% (21 houses) <p>This mix meet the requirements of the City Council which was issued in the Meadows Crosswall ITT exactly, based upon the number of units. The tenures are spread across the whole site but arranged to maximise value for the sale and intermediate units, and to ensure that it is possible for Asra Housing Group to effectively manage the affordably rented units.</p> <p>The 5 units for Shared Equity are large 3 / 4 bed units, which are identical to the outright sale units. Purchasers would be expected to buy 80% of the property, and then Asra Housing Group would give them a rent and interest free loan for the remaining 20%, with the expectation that they would purchase the remaining 20% stake at year 10.</p> <p>For Shared Ownership, 13 units are included, which are a range of smaller 2 and 3 bed homes. It is our experience with Shared Ownership that smaller units are more desirable, as many Shared Ownership purchasers are first time buyers with limited deposits and income available. They also generally look to purchase only 30% – 50% of the property at the first tranche, which means that it is better for viability purposes smaller units are more appropriate.</p> <p>The rented units are a mixture of 2, 3 and 4 bed units, to reflect the City Council's aspiration for family housing. With a variety of different unit types and sizes varying from 69m² – 77m² for 2 bed rented properties, and from 83 – 93m² for 3 bed rented units, all meet an absolute minimum of HQI sizes, and a number are significantly larger, with some designed to achieve EP standards. A further 2 large 111m² 4 bed houses ensure that some larger families can be accommodated, and all Affordable Rented and Shared Ownership units, as well as many of the Sale units achieve Lifetime Homes.</p>

3 > Masterplan Principles

4b Is there a need for different types of home ownership (such as part buy and part rent) or rented properties to help people on lower incomes?	See above
Creating a place	
5. Character	
5a How can the development be designed to have a local or distinctive identity?	The part of the Meadows area in which the sites are located is in the 1960's/70's developed zone. The distinctive identity of this area is one of geometrically planned streets and houses of 2/3 storeys with criss crossing linear streets. As a mainly housing area, it has plenty of open space and the original tree planting is now around 50 years old and just coming into its prime. The gardens to the houses provide a specific and individual feel to the dwellings which are generally quite repetitive and similar. It is intended to focus on this existing identity with the new housing so its sympathetically blends into the grain, but the new housing will develop its own identity by providing a 'uniform' contemporary design using the same palette of materials to all dwellings - mellow brickwork, renders of different subtle colours, aluminium windows and doors, timber boundary conditions, pergolas, entrance canopies, identical doors, roof terraces to the Hobart site dwellings.
5b Are there any distinctive characteristics within the area, such as building shapes, styles, colours and materials or the character of the streets and spaces that the development should draw inspiration from?	The existing building shapes are quite simple, sharp and 'boxy' with little decoration. Windows are large. There is a mixture of materials, but the overall impression is of render and flat, boarded surfaces. Colours are generally pale. Roofs are generally pitched with concrete tiles. The contemporary style of the new development picks up on these items and will use a mixture of different pale render colours at upper levels, with brickwork at ground level for a soft appearance and hard wearing finish. Roofs will be pitched with parapets and copings incorporated to add interest. Windows will be aluminium and provide a very sharp and geometric fenestration to the dwellings. All new houses will have timber boundary fences and gates. Many properties will have external pergolas to provide a sun shade as well as a sense of enclosure to external terraces/ seating areas. Gaps between buildings will have windows wherever possible to allow overlooking and prevent blank facades.
6. Working with the site and its context	
6a Are there any views into or from the site that need to be carefully considered?	Hobart site - the view to the south towards the Embankment are excellent and the houses along here have been made 3 storey to make use of this. The terrace of houses (numbers 1-10) also provides a backdrop to the tree lined embankment area. The corner of the site at the junction of Bathley Street and Wilford Crescent West is very important as it is the first part of the site that many people will see and since it is raised above the existing street level on a small embankment, this only adds to the sense of importance.

	<p>Pitcairn site - The 2 corners at the south east and north east on Wilford Crescent West provide an important introduction to this site from both directions and the buildings designed to fit here are specials. The view along Pitcairn Close and its connection to the existing pathway is an important view and this has been improved by opening out the space and creating a landscaped space where the street meets the path - the connection has become more apparent and focused.</p>
6b Are there any existing trees, hedgerows or other features, such as streams that need to be carefully designed into the development?	<p>The trees as previously mentioned are of real importance on the site and the development has been designed to retain as many as possible. The arboricultural report indicates that there are 85 trees on the entire site area and it is proposed 36 of these trees are removed to facilitate the layout. Of these 36 removed trees, 33 no. are category C and 3 no. category B. The positions of underground services, especially mains drainage has resulted in detailed design where this impacts on the site, especially at units 31-33 (where there is a drain and easement in the existing parking area) and at unit 68 (where a drain is provided for the existing houses to the north).</p>
6c Should the development keep any existing building(s) on the site? If so, how could they be used?	<p>It is understood that Nottingham City Council looked at the viability of retaining the existing buildings and the decision was made to demolish the existing buildings and start again.</p>

3 > Masterplan Principles

7. Creating well defined streets and places	
7a Good streets and places are created by enclosing them with buildings and a strong landscaping scheme. Are buildings used to create enclosed streets and spaces?	This was a specific design generator. All new and existing streets are enclosed with new houses.
7b Good buildings 'turn' corners. Do buildings turn corners well?	The corners of the Hobart and Pitcairn sites are very important since the density of the development means the buildings wrap around the corners. Specific building types have been designed to be located on these corners. The R3/S3 and R5/S4 building type is two side by side houses, designed to turn the corner as well as providing a 3 storey 'tower' on the corner as a focal point. At the Pitcairn site the new access street has a curved entrance and 3 special (identical) units type R4- units 48, 49 and 50 have been designed to provide a curved facade that turns the corner with the road. The gable ends of all houses where these are visible have been specially designed to integrate windows and render panels to create interesting gable elevations.
7c Do all fronts of buildings, including front doors, face the street?	This has been a specific design generator. All of the 73 houses have their own private entrance door with canopy over (for lifetime homes) facing the street.
8. Easy to find your way around	
8a Will the development be easy to find your way around? If not, what could be done to make it easier to find your way around?	Since the new plans follow the general footprint of the existing buildings and the street pattern they will be very easy to navigate. The sites are relatively small and the layout of buildings on them is straightforward meaning orientation will be simple and you will always know where you are on the sites. Since all front doors face the street entrances will be safe and easy to locate, as well as easy to recognise the numbering.
Street and Home	
9. Streets for all	
9a Are streets pedestrian friendly and are they designed to encourage cars to drive slower and more carefully?	Existing streets will remain, but the new frontage to these streets and new footpaths will create a more domestic appearance and should slow down cars. Entrances to houses directly off the footpaths and garages/carports will assist in providing a more people focused space instead of car based.
	New streets will be home zone designed at the turning heads with pavers and paving. Tarmac roads will be used to extend existing roads to these new turning heads. Pavements will effectively be part of the roadway, with only a 25 mm difference in level.

9b Are streets designed in a way that they can be used as social spaces, such as places for children to play safely?	The existing streets at Hobart Close and Pitcairn Close are to be terminated with a large landscaped area allowing potential for social spaces and children to play. There is an existing enclosed green space at the end of Hobart Close which it is hoped can be integrated more with the development. The new home zone street into the Pitcairn site has a paved area at the end and should create a safe and secure area with the slight grassed embankment and trees along this boundary.
10. Car parking	
10a Is there enough parking for residents and visitors?	66 of the 73 houses have either an integral garage or in curtilage parking. Only 7 no. houses will have on street parking, which is a massive reduction in the number of existing properties that used to have to park on the street. There is still a large length of car parking space allowed on the existing retained streets for the existing houses in the area and visitors. Virtually all of the car parking is designed to Lifetime Homes standard with a 3.3 x 4.8 m space.
10 b Is parking positioned close to people's homes?	As above, 90 % of the parking is at the house location. The other street parking is located directly in front of the houses it is expected to serve, a few short steps away.
10 c Are any parking courtyards small in size (generally no more than five properties should use a parking courtyard) and are they well overlooked by neighbouring properties?	Parking courtyards have been specifically excluded.
10 d Are garages well positioned so that they do not dominate the street scene?	Only 2 integral garages are provided (units 1 and 10).

3 > Masterplan Principles

11. Public and private spaces	
11a What types of open space should be provided within this development?	There is no specific open space required since the development is a few minutes walk to the Meadows parkland area where there is acres of parkland, play facilities, sports facilities etc.
11b Is there a need for play facilities for children and teenagers? If so, is this the right place or should the developer contribute towards an existing facility in the area that should be made better?	See above.
12. External storage and amenity space	
12a Is there enough storage space for bins and recycling, as well as vehicles and cycles?	All 73 houses will have their own yard/garden where there will be specific location for minimum 2 wheelie bins (and 3 if garden/lawn area provided). There will be a pathway from each yard/garden area allowing the wheelie bin to be taken to a designated street location where it can be collected by the dustbin lorry. Internal recycling space will be provided in all kitchens. All garden/yard areas will be provided with a timber enclosure for external storage and bike storage.

Lifetime Homes Standards

The intention is that as many of the houses as possible meet Lifetime Homes standard, and those that cannot are designed to meet as many of the criteria as possible even though ultimately they will not meet all 16 points.

1. Car Parking Width

Getting into and out of a vehicle must be as convenient as possible. Where car parking is adjacent to the home, it should be capable of enlargement to attain 3.3m width.

Response: 66 of the 73 houses meet this criteria (Those not meeting are :- 12, 30, 31, 32, 33, 47, 48)

2. Approach to dwelling from Car Parking

The distance from the car parking space to the dwelling entrance should be kept to a minimum and should be level or gently sloping.

Response: 72 out of the 73 houses meet this criteria. (Only units 11 cannot meet this requirement due to the level difference between the existing street and the site level.)

3. Approach to all entrances

The approach to all entrances should be level or gently sloping.

Response: 72 out of the 73 houses meet this criteria. (Only units 11 cannot meet this requirement due to the level difference between the existing street and the site level)

4. External entrances

All entrances should be illuminated, have level access over the threshold, have necessary clear opening width and have a covered main entrance.

Response: All 73 houses meet this criteria.

5. Communal stairs and lifts

Communal stairs should provide easy access and, where homes are reached by a lift, it should be fully accessible.

Response: Not applicable to this scheme

6. Internal Doorways and Hallways

The width of internal doorways and hallways should conform to the criterion.

Response: All 73 houses meet this criteria.

7. Circulation space

There should be space for turning a wheelchair in dining areas and living rooms and adequate circulation space for wheelchairs elsewhere.

Response: All 73 houses meet this criteria.

8. Living room

The living room should be at entrance level.

Response: 71 out of the 73 units meet this criteria. The type A2 dwellings have a first floor living space and therefore do not meet this criteria. (Therefore units 1 and 10 do not meet the criteria).

3 > Masterplan Principles

9. Entrance level bedspace

In houses of two or more storeys, there should be space on the entrance level that could be used as a convenient bed space.

Response: 71 out of the 73 units meet this criteria.

The type A2 dwellings have a first floor living space and therefore do not allow a bed space at entrance level. (Therefore units 1 and 10 do not meet the criteria).

10. Entrance level WC and shower drainage

In houses with three or more bedrooms, and all dwellings on one level, there should be a wheelchair accessible toilet at entrance level with drainage provision enabling a shower to be fitted in the future. In houses with two bedrooms the downstairs toilet should conform at least to Part M.

Response: All 73 houses meet this criteria.

11. Bathroom and WC walls

Walls in the bathroom and WC should be capable of taking adaptations such as handrails.

Response: All 73 houses meet this criteria.

12. Stair lift/through floor lift

The design should incorporate provision for a future stair lift and a suitably identified space for a through the floor lift from the ground floor to the first floor, for example to a bedroom next to the bathroom.

Response: All 73 houses meet this criteria.

13. Tracking hoist route

The design and specification should provide a reasonable route for a potential hoist from a main bedroom to the bathroom.

Response: All 73 houses meet this criteria.

14. Bathroom layout

The bathroom should be designed for ease of access to the bath, WC and wash basin.

Response: All 73 houses meet this criteria.

15. Window specification

Living room window glazing should begin no higher than 800mm from the floor level and windows should be easy to open/operate.

Response: All 73 houses meet this criteria.

16. Controls, fixtures and fittings

Switches, sockets, ventilation and service controls should be at a height usable by all (i.e. between 450mm and 1200mm from the floor) and 300 mm away from any internal room corners.

Response: All 73 houses meet this criteria.

Summary

63 of the 73 houses meet all 16 requirements for Lifetime homes. Of the 10 houses that do not meet all the requirements, these houses meet at least 14 of the 16 standards.



View of the proposed scheme looking down
Wilford Crescent West

4 > Consultation

The consultation process was carried out for the overall masterplan. This process has been written up fully in the Statement of Community Involvement. Below is a summary of the activities that were undertaken to engage residents, stakeholders and the wider public about the schemes.

Engagement Strategy

Public consultation is a key part of URBEDs work, ensuring that the people who live and work in the redevelopment area are given an opportunity to voice their opinions on the proposed development.

Two public consultations were carried out in order to take on board the views of local residents and community members. The site is located within a residential area, and the proximity of houses to the proposed development meant it was important to engage widely with neighbours.

We created a project specific website for the scheme, to inform people about the consultation events and to display the proposals to as wide a group of people as possible

Consultation Events

Firstly we held an initial consultation exhibition displaying the proposals with which the team had won the bid. We also gathered ideas for names for the scheme at this event. Attendees were encouraged to fill in a multiple choice questionnaire on the proposals telling what they liked and disliked about the plan. Comments were gathered and shared with the whole team. The proposals developed over the next 6 months.

The team then brought the revised proposals back for people to view before an application was submitted. People were again invited to fill out a questionnaire commenting on the revised proposals. We also presented the revised scheme at the Meadows Community Forum and we took the boards to the sheltered housing scheme near to the site, Carroll Gardens, as residents mobility was an issue to them attending the drop-in exhibitions. Residents were given 3 weeks to make comments. The team then made any final revisions which arose from these final events.

The four houses at the end of Hobart Close, which are not being demolished also received a letter informing them of the proposals. One resident had some queries and a Stephen Fisher, William David, visited him and took his comments on board.

Public drop-in exhibition
at the One Stop Shop,
27th November 2012



Residents view initial
proposals at The
Embankment,
27th November 2012



Results

Generally people were supportive of the initial proposals. The important issue which was brought up was parking, availability of on-street parking as well as including driveways. People wanted to see more planting and trees on the streets to soften the area. Most people thought the layout was in-keeping with the area.

These issues have been addressed in the final scheme and we hope that people feel that they have been given plenty of time to discuss the plans with the team.



Residents view revised
proposals at
The Embankment,
5th June 2013

5 > Design Development

The designs have developed over the last 8 months, through various conversations, consultations and a greater technical understanding of the site.

Developing the design

The initial design was prepared for a competition for Nottingham City Council. The design has not changed dramatically since then.

There were three meetings between Marsh Grochowski and the planners. These meetings helped the design team understand what the planning requirements were and helped to iron out any issues the planners felt needed particular attention.

The main issues which were discussed were the inclusion of in-curtilage parking. This was also an issue at public consultation and the scheme was amended to include a greater number of driveways in order to provide parking for the new residents,

There were also some concerns over garden size and the fact that some were overlooked. We have rectified this by alignment and changing some of the house types around.

Boundary treatment also came up in discussions with both the planners and members of the public. It was agreed that high quality boundary treatment is expected in the form of railings for front gardens and 1.8m walls for rear garden boundaries fronting the public realm.



The initial proposal was exhibited at the end of November 2012.



The initial proposal was exhibited at the start of June 2013

6 > Wilford Crescent West

This is a design and access statement for 5 residential properties on Wilford Crescent West. These are three bedroom properties. Please see the drawings for more information.

Layout

The layout of the scheme follows the existing building line on Wilford Crescent West.

Scale

There are 5 houses which are 3 storeys.

Amount

There are 5 properties in total as part of this application, each with three bedrooms.

Appearance

The houses will be a mixture of white render, timber details and brick on the ground level.

Landscape

The properties all have in-curtilage parking outside their properties in the form of their own driveway. The gardens of the properties are ample for each. 2 of the units also have a patio on a lower level due to a drop on the site.

Access

The access to the new properties will not change from the existing layout. Wilford Crescent West will now have 5 properties with drop curbs to each driveway.

Vehicular Access

Vehicles will continue to be able to travel Wilford Crescent West as per the existing situation.


Pedestrian/ Cycle Access

The pedestrian access on the public footpath will be maintained. There will be no access through the site. Each house will be accessed from Wilford Crescent West.

Refuse Collection

The properties will have bin stores at the front of their properties. The residents will be able to leave the bins out for ease of collection.

Existing Site Plan



Proposed Site Plan





6 > Wilford Crescent West

House types

Type C1

- > Floor Area: 103.1m² (GIFA)
- > 3 bedrooms
- > 3 storeys




TYPE C1









AREA 103.1 sq.m
roof terrace above rear entrance

UNITS 69, 70, 71, 72, 73

Key plan for proposed elevations



Street Elevations



7 > Conclusion

In conclusion, we believe this to be a high-quality scheme with which to kick start the regeneration in the Meadows. With a good mixture of two, three and four bedroom properties it will encourage more family's to the family

A Sustainable Urban Neighbourhood

The scheme will raise the bar for housing design and sustainability, and enhance the housing offer of the area. It will provide a variety of housing types and tenures and raise property values. This will help to consolidate an emerging trend whereby the Meadows is increasingly seen as a location of choice for a range of households.

The scheme has already gained support from the local community from over 50 responses filled in, 80% of respondents were supportive or strongly supportive of the plans. Many people who attended the two public consultations were already interested in buying or renting a property in the development.



